. ,				<del></del>						
Form PTO- (Rev. )	1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			ATTY. DOCKET NO.: 20722 US1 (C038435/0175476)			SERIAL NO.: 10/766,118		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT					APPLICANT(S):  Beat FLÜHMANN et al.					
7005 W		(Use several sheets if necessary)			FILING DATE: January 27, 2004	ART UNIT:	ART UNIT:			
3EP 1 3.	<u> </u>	U.C. DAMENT D			<u> </u>					
WA THOS	U.S. PATENT DOCUMENTS									
Examiner Initial	Cite No.	U.S. Patent Document Number Date		<u> </u>	Name	Class	Subclass	Filing Date If Appropriate		
	-		<u> </u>	<del> </del>		<del> </del>	<del>                                     </del>	<del> </del>	<del></del>	
			EODEI	CN DATEN	T TO CHIEF THE	<u> </u>		<u> </u>	<del></del>	
FOREIGN PATENT DOCUMENTS  Translation									lation	
		Document Number	Date	1	Country	Class	Subclass	Yes	No	
	1		<u> </u>							
		OTHER I	DOCUMENT	S (Including A	author, Title, Date, Pertinent	t Pages, Etc.	.)			
C7 C. Dreyer et al., "Control of the Peroxisomal β-Oxidation Pathway By A Novel Family Of Nuclear Hormone Reception Cell, vol 68, no. 5, pp. 879-887 (1992).							ptors,"			
	C8	P. Ellinghaus et al., "Phytanic Acid Activates The Peroxisome Proliferator-activated Receptor a (PPARa) In Sterol Carrier Protein 2-/ Sterol Carrier Protein x-deficient Mice," J. Biol. Chem., vol. 274, no. 5, pp. 2766-2772 (1999).								
	С9	S. Kitarcewan et al., "Phytol Metabolites Are Circulating Dietary Factors That Activate The Nuclear Receptor RXR," Mol. Biol. Cell, vol. 7, pp. 1153-1166 (1996).								
	C10	J.M. Lehmann et al., "An Antidiabetic Thiazolidinedione Is A High Affinity Ligand For Peroxisome Proliferator-activated Receptor y (PPARy)," J. Biol. Chem., vol 270, no. 22, pp. 12953-12956 (1995).								
	CII	P.K. Lemotte et al., "Phytanic Acid Is A Retinoid X Receptor Ligand," Eur. J. Biochem., vol. 236, pp. 328-333 (1996).							)96).	
	C12	H. Vuorinen-Markhola et al., "Lowering Of Triglycerides By Gemfibrozil Affects Neither The Glucoregulatory Nor Antilipolytic Effect Of Insulin In Type 2 (Non-insulin-dependent) Diabetic Patients," Diabetologia, vol. 36, pp. 161-169 (1993).								
	C13	R. Mukherjee et al., "Sensitization Of Diabetic And Obese Mice To Insulin By Retinoid X Receptor Agonists," Nature, vol. 386, no. 27, pp. 407-410 (1997).								
	-C14	C. Wolfrum et al., "Phytanic Acid Is Ligand And Transcriptional Activator Of Murine Liver Fatty Acid Binding Protein," <u>J. Lipid Res.</u> , vol. 40, pp. 708-714 (1999).								
ia	A.W. Zomer et al., "Pristanic Acid And Phytanic Acid: Naturally Occurring Ligands For The Nuclear Receptor Peroxisome Proliferator-activated Receptor a," J. Lipid Res., vol. 41, pp. 1801-1807 (2000).									
	Τ									
	<u> </u>	<b></b>				<del></del>				
	<u> </u>			———						
EXAMINER Collidation					DATE CONSIDERED  (0 - 24 - 05					
		citation considered, whethe			nce with MPEP 609; Draw I	line through	citation if not	in conforms	ince and	